

wire Search

O Dictionary
O Thesaurus
O Web

Home

Premium: Sign up | Login





Target the position.



ADVERTISEMENT

Dictionary - Thesaurus - Web

Top Web Results for "wire"

ADVERTISEMENT

7 entries found for wire.

wire $\stackrel{\text{def}}{=}$ Pronunciation Key $(w^{\overline{1}}r)$

- 1. A usually pliable metallic strand or rod made in many lengths and diameters, sometimes clad and often electrically insulated, used chiefly for structural support or to conduct electricity.
- 2. A group of wire strands bundled or twisted together as a functional unit; cable.
- 3. Something resembling a wire, as in slenderness or stiffness
- 4. An open telephone connection.
- 5. <u>Slang.</u> A hidden microphone, as on a person's body or in a building.

6.

- a. A telegraph service.
- b. A telegram or cablegram.
- 7. A wire service.
- 8. <u>Computer Science.</u> A pin in the print head of a computer printer.
- 9. The screen on which sheets of paper are formed in a papermaking machine.
- 10. Sports. The finish line of a racetrack.
- 11. wires
 - a. The system of strings employed in manipulating

puppets in a show.

- b. Hidden controlling influences.
- 12. Slang. A pickpocket.
- 13. Fencing made of usually barbed wire.

v. wired, wiring, wires

v. tr.

- 1. To bind, connect, or attach with wires or a wire.
- 2. To string (beads, for example) on wire.
- 3. To equip with a system of electrical wires.
- 4. <u>Slang.</u> To install electronic eavesdropping equipment in (a room, for example).
- 5. To send by telegraph: wired her congratulations.
- 6. To send a telegram to.
- 7. <u>Computer Science.</u> To implement (a capability) through logic circuitry that is permanently connected within a computer or calculator and therefore not subject to change by programming.
- 8. To determine or put into effect by physiological or neurological mechanisms; hard-wire: "It is plausible that the basic organization of grammar is wired into the child's brain" (Steven Pinker).

v. intr.

To send a telegram.

Idioms: down to the wire Informal

To the very end, as in a race or contest.

under the wire

- 1. Sports At the finish line.
- 2. *Informal* Just in the nick of time; at the last moment.

[Middle English, from Old English w1r. See wei- in Indo-European Roots.]

wir a·ble adj.

[Download Now or Buy the Book]

Ads by Google

Wire Ferrules For Less

Wide Selection and In Stock Great Prices, Any Colors and Sizes www.americanelectrical.c

Advanced Wire and Cable
Common & hard to find military & commercial wire, cable, & tubing.

www.advancedwire.com

RF Cable
Assemblies
67GHz
All engineering
data on website

Call 877-634-2742 - Fast quotes! www.MegaPhase.com

Stranded / Solid Wire Buy on line! In stock! 16 - 26 gauge in 10 colors


www.powerwerx.com

EARN YOUR DEGREE WHILE YOU WORK

Select a State

Related ads:

- Insulated Wire
- Belden Wire Cable
- Copper Magnet Wire
- 18 Gauge Wire
- Custom Wire Harness



Source: The American Heritage® Dictionary of the English Language, Fourth Edition Copyright © 2000 by Houghton Mifflin Company.
Published by Houghton Mifflin Company. All rights reserved.

wire

see down to the wire; get one's wires crossed; live wire; pull strings (wires); under the wire.

Source: The American Heritage® Dictionary of Idioms by Christine Ammer.
Copyright © 1997 by The Christine Ammer 1992 Trust. Published by Houghton Mifflin Company.

Main Entry: wire

Pronunciation: 'wI(&)r

Function: noun

: metal thread or a rod used in surgery to suture soft tissue or transfix fractured bone and in orthodontic dentistry to position teeth —wire transitive verb wired; wiring

Source: Merriam-Webster's Medical Dictionary, © 2002 Merriam-Webster, Inc.

wire

n 1: ligament made of metal and used to fasten things or make cages or fences etc 2: a metal conductor that carries electricity over a distance [syn: conducting wire] 3: the finishing line on a racetrack 4: a message transmitted by telegraph [syn: telegram] v 1: provide with electrical circuits; "wire the addition to the house" 2: send cables, wires, or telegrams [syn: cable, telegraph] 3: fasten with wire; "The columns were wired to the beams for support" [ant: unwire] 4: string on a wire; "wire beads" 5: equip for use with electricity; "electrify an appliance" [syn: electrify]

Source: WordNet ® 2.0, © 2003 Princeton University

W.I.R.E.

W.I.R.E.: in Acronym Finder

Source: Acronym Finder, © 1988-2004 Mountain Data Systems

wire

WIRE: in Acronym Finder

Source: Acronym Finder, © 1988-2004 Mountain Data Systems


wire

wire: in CancerWEB's On-line Medical Dictionary

Source: On-line Medical Dictionary, © 1997-98 Academic Medical Publishing & CancerWEB

<u>Perform a new search</u>, or try your search for "wire" at:

- Amazon.com Shop for books, music and more
- <u>HighBeam Research</u> 32 million documents from leading publications
- Merriam-Webster Search for definitions
- <u>Reference.com</u> Web Search powered by Google
- <u>Thesaurus.com</u> Search for synonyms and antonyms



ADVERTISEMENT

Get the <u>FREE Dictionary.com Toolbar</u> for your browser now!

From the makers of Dictionary.com

Copyright © 2005, <u>Lexico Publishing Group, LLC</u>. All rights reserved. About Dictionary.com | <u>Privacy Policy</u> | <u>Terms of Use</u> | <u>Link to Us</u> | <u>Help</u> | <u>Contact Us</u>

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6261304").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:36
L2	1	1 and catheter same nitinol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:37
L3	1205	catheter same nitinol and flexible with distal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:37
L4	366	catheter with nitinol and flexible with distal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:37
L5	14	catheter with nitinol and flexib\$ with distal with increase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:46
L6	2	("6112598").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:10
L7	2	("5582170").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:10
L8	2	("5582170").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 12:12
S1	64	(sensor or sensors or measure) same ((nitric adj oxide) or nitricoxide or nitric-oxkde or superoxide or (super adj oxide) or super-oxide) same (vessel? or vein? or blood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/16 13:48

S2	4	(("6336906") or ("5701905")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/16 13:55
53	19473	((sensor or sensors or measure) same ((nitric adj oxide) or nitricoxide or nitric-oxkde or superoxide or (super adj oxide) or super-oxide) same (vessel? or vein? or blood)) and catheter? or guide adj wire or guidewire or guide-wire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/16 13:56
S4	15	((sensor or sensors or measure) same ((nitric adj oxide) or nitricoxide or nitric-oxkde or superoxide or (super adj oxide) or super-oxide) same (vessel? or vein? or blood)) and (catheter? or guide adj wire or guidewire or guide-wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/16 13:56
S5	1	"5436167".PN.	USPAT	OR	OFF	2003/05/16 14:08
S6	1	"5248616".PN.	USPAT	OR	OFF	2003/05/16 14:08
S7	1	"5176882".PN.	USPAT	OR	OFF	2003/05/16 14:08
S8	1	"5047208".PN.	USPAT	OR	OFF	2003/05/16 14:08
S9	1	"5034189".PN.	USPAT	OR	OFF	2003/05/16 14:08
S10	8	(nitric adj oxide) and stimulant with acetylcholine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/23 11:00
S11	144	(nitric adj oxide) with acetylcholine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/23 11:00
S12	50	((nitric adj oxide) with acetylcholine) and restenosis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/23 11:57
S13	43	(((nitric adj oxide) with acetylcholine) and restenosis) and (catheter\$ guidewire guidewires guid-wire guide-wires (guide adj (wire wires)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/23 11:43

S14	6	((nitric adj oxide) with acetylcholine) and (restenosis with (measure diagnose diagnosis level levels) with nitric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/23 11:58
S15	6363	infus\$ with catheter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 10:15
S16	1523	infus\$ adj2 catheter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 10:16
S17	209	infus\$ adj2 catheter same (guidewire guide-wire (guide adj wire))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 10:17
S18	15	("4456013" "4722348" "5226423" "5372144" "5404887" "5490323" "5517989" "RE35648" "5715827" "5749371" "5779643" "5931819" "5938624" "5967976" "6106486").PN.	USPAT	OR	OFF	2004/01/20 12:32
S19	59	(guidewire guide-wire (guide adj wire)) same (sensor with (nitric oxide NO))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 12:43
S20	1	(guidewire guide-wire (guide adj wire)) same (sensor with (nitric oxide))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 12:43
S21	10	(guidewire guide-wire (guide adj wire)) same (sensor same (nitric oxide))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 12:45
S22	19	(guidewire guide-wire (guide adj wire)) same (sensor with (pH oxygen))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/20 14:46

S23	2150	((600/585,433,434,435) or	US-PGPUB;	OR	OFF	2004/01/20 14:46
		(604/164.13,170.01,171)).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S24	138	(((600/585,433,434,435) or (604/164.13,170.01,171)).CCLS.) and @pd>="20030516"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:51
S25	14	(((600/585,433,434,435) or (604/164.13,170.01,171)).CCLS.) and nitric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 14:54
S26	46	(((600/585,433,434,435) or (604/164.13,170.01,171)).CCLS.) and sensor\$ with blood	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 15:20
S27	0	(((600/585,433,434,435) or (604/164.13,170.01,171)).CCLS.) and superoxide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/20 15:20
S28	15	("4456013" "4722348" "5226423" "5372144" "5404887" "5490323" "5517989" "RE35648" "5715827" "5749371" "5779643" "5931819" "5938624" "5967976" "6106486").PN.	USPAT	OR	OFF	2004/09/23 12:30
S29	5	(guidewire guide-wire guide adj wire) and (sensor same (aperature aperture) same environment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 12:54
S30	37	(guidewire guide-wire guide adj wire) and (sensor same (aperature aperture) same blood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 12:54
S31	1350	(600/585).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 14:26

S32	11	((600/585).CCLS.) and (aperture opening) same sensor same (blood environment fluid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:43
S33	1	((600/585).CCLS.) and ph with sense\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:46
S34	35	((600/585).CCLS.) and ph	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/23 14:46
S35	2	("6125986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 15:22
S36	2	("6112986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 15:23
S37	2	("6112598").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 15:46
S38	2	("6383144").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 15:46
S39	3	("3884238").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/24 11:54
S40	502	fiber with optic same (guidewire guide adj wire guide-wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:31

S41	271	fiber with optic with (guidewire guide adj wire guide-wire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:32
S42	194	fiber with optic with (guidewire guide adj wire guide-wire) and (mov\$4 slid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:32
S43	2	fiber with optic with (guidewire guide adj wire guide-wire) and (mov\$4 slid\$4) and (nitric superoxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:49
S44	194	fiber with optic with (guidewire guide adj wire guide-wire) and (mov\$4 slid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 13:34
S45	141	S44 and @ad<="20010928"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:44
S46	2	("6498941").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 13:47
S47	9	("4403984" "4849172" "4937457" "5166990" "5222949" "5330718" "5498549" "5833603").PN. OR ("6498941").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 13:47
S48	12	fiber with optic with (sense sensor senses measure) with (nitric superoxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:47
S49	18	(guidewire wire guide adj wire) with optic with (slide sliding moves moving) with (inside within through)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:39
S50	2	("5166990").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:43

S51	3756	catheter with ((stainless with steel) nitinol alloy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 14:44
S52	2708	S51 and @ad<="20010928"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 15:11
S53	1	(fiber optic) with (sense sensor senses measure) with (nitric superoxide) same catheter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 14:48
S54	1750	catheter same braid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:10
S55	1263	S54 and @ad<="20010928"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 15:17
S56	2	("6143013").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:16
S57	0	("catheterwithformedwith(nitinolalloy)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:17
S58	151	catheter with formed with nitinol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:17
S59	87	S58 and @ad<="20010928"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/13 15:17
S60	2	("5389073").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 15:29

S61	4	(("5582170") or ("6112598")).PN.	US-PGPUB; USPAT; EPO; JPO;	OR	OFF	2005/05/31 10:31
			DERWENT; IBM_TDB			